		M
Application No.	Applicant(s)	
09/774,374	SUZUKI ET AL.	
Examiner	Art Unit	
Monique M Wills	1746	
(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	application. If not included on will be mailed in due co	d ourse. <b>THIS</b>
<u>ceived June 8, 2004.</u> .		
ne Examiner.		
e been received. e been received in Application No. comments have been received in thi of this communication to file a rep MENT of this application.  nitted. Note the attached EXAMINE res reason(s) why the oath or decla est be submitted. eson's Patent Drawing Review (PTo	is national stage applications is national stage applications.  ER'S AMENDMENT or NOt a ration is deficient.  O-948) attached	uirements
1.84(c)) should be written on the draw	wings in the front (not the l	back) of
osit of BIOLOGICAL MATERIAL	_ must be submitted. No	ote the
6. ⊠ Interview Summa Paper No./Mail [ 708), 7. ⊠ Examiner's Amer	nry (PTO-413), Date ndment/Comment	
	Examiner  Monique M Wills  ears on the cover sheet with the GOR REMAINS) CLOSED in this at O or other appropriate communications. This application is subject and MPEP 1308.  Ceived June 8, 2004  The Examiner.  Inder 35 U.S.C. § 119(a)-(d) or (f).  The been received.  The been received in Application No. occuments have been received in the communication to file a reposition.  The standard of this application.  The standard of this application of the drawn of the standard of the standa	Description of this communication to file a reply complying with the requirements have been received in this national stage application.  In this application to file a reply complying with the requirement of this application.  In this application to file a reply complying with the requirement of this application.  In this application to file a reply complying with the requirement of this application.  In this application to file a reply complying with the requirement of this application.  In this application.  In this application.  In this communication to file a reply complying with the requirement of this application.  In this communication to file a reply complying with the requirement of this application.  In this application.  In the description of the author of the description of the description of the properties of the form of the description of the header according to 37 CFR 1.121(d).  In the header

Art Unit: 1746

## **EXAMINER'S AMENDMENT**

Page 2

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Anthony Laurentano on June 8, 2004.

The application has been amended as follows:

Claim 4 has been cancelled.

## EXAMINER'S REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the instant claims are allowable over the prior art of record, because the prior art is silent to a fuel cell humidifying system comprising a flow path switching mechanism for switching gas passages leading to a humidifier.

The prior art, such as Bertioli U.S. Patent 3, 607,423, teaches a fuel cell humidifying system comprising a cleaning mechanism. The reference is silent to a flow path switching mechanism for switching gas passages leading to the humidifier. Therefore, the instant claims are patentably distinct from Bertioli.

Application/Control Number: 09/774,374

Art Unit: 1746

## **CONCLUSION**

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Monique Wills whose telephone number is (571) 272-1309. The Examiner can normally be reached on Monday-Friday from 8:30am to 5:00 pm.

If attempts to reach Examiner by telephone are unsuccessful, the Examiner's supervisor, Randy Gulakowski, may be reached at 571-272-1302. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov.Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MW

06/14/04

RANDY GULAKOWSK! SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700

Page 3